

UX® Cellux® C UX® Cellux® Cellu Cellux® Cellux® C x<sup>®</sup> Cellux<sup>®</sup> Cellux<sup>®</sup> Cel ellux<sup>®</sup> Cellux<sup>®</sup> Cellux ux® Cellux® Cellux® cellux<sup>®</sup> cellux<sup>®</sup> lux Cell PRODUCT  $|\Delta|$ 











With over 100 years in the adhesive tape industry, and a strong presence in several countries around the world, Cellux® has arrived to the United States to offer excellent quality adhesive tapes at the most competitive prices.

We understand our customer needs. When we talk about adhesive tape, we talk about effectiveness, and efficiency when solving a necessity. We seek to reach each person by offering just what they need, in the most accessible way.

Optimize your operation with Cellux® and find any tape solution with our high-quality line of products. From packaging and masking tapes, to refrigeration tapes and more.

# CONTENTS

### MASKING SOLUTIONS

- Blue painter's masking tape.
- Industrial Yellow masking tape.
- General purpose masking tape.
- Red stucco tape.
- Blue protection film for Windows.

### PACKAGING SOLUTIONS

- General purpose packaging tape.
- Medium grade packaging tape.
- Heavy grade packaging tape.
- Heavy duty packaging tape.
- Gummed tape.
- Reinforced gummed tape.

### **ELECTRICAL TAPES**

• Industrial electrical tape.

### **FOAM TAPES**

- Double Sided neoprene tape.
- Double Sided Polyethylene Tape.

### **REFRIGERATION SOLUTIONS**

- Aluminium foil tape.
- FSK reintorced aluminium foil tape.
- 👴 Duct tape.



# MASKING SOLUTIONS

"INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY."



👽 cellux.us

D Stores







The blue painter's **C-576** masking tape is a medium-density crepe paper tape designed to resist direct sunlight and hold up to 14 days with clean removal. It delivers professional paint results at an exeptional value. Our painter's tape is ideal for protecting surfaces guaranteeing a high quality finish.

- Easy to tear.
- No paint bleed.
- 🕫 14-day clean removal.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION     |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-576 |                     | 1/2"          | 60          | 144        | Heat shrink wrap |
| C-576 |                     | 3/4"          | 60          | 120        | Heat shrink wrap |
| C-576 | 5.23                | ר"            | 60          | 96         | Heat shrink wrap |
| C-576 | 0.20                | 1" 1/2        | 60          | 96         | Heat shrink wrap |
| C-576 |                     | 2"            | 60          | 80         | Heat shrink wrap |
| C-576 |                     | 3"            | 60          | 64         | Heat shrink wrap |



At Cellux®, we understand that each project is different. We can manufacture the size and presentation according to your requirement.



# **NEUTRAL** MASKING TAPE





Cellux.

The multipurpuse **C-563** masking tape is a crepe paper tape specially designed for labeling and surface protection. It is an easy to use product at home, office and school. You can write on it and remove it without leaving any residue. The multipurpuse C-563 masking tape can be used on aqueous base paintings in interior settings.

Flexible.
Easy to remove.
You can write on it.
Easy cutting.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION     |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-563 |                     | 1/2"          | 60          | 96         | Heat shrink wrap |
| C-563 |                     | 3/4"          | 60          | 64         | Heat shrink wrap |
| C-563 | 5.98                | ר"            | 60          | 48         | Heat shrink wrap |
| C-563 | 0.50                | 1" 1/2        | 60          | 32         | Heat shrink wrap |
| C-563 |                     | 2"            | 60          | 24         | Heat shrink wrap |
| C-563 |                     | 3"            | 60          | 16         | Heat shrink wrap |



The industrial yellow masking tape **C-584** is ideal for the automotive industry. Professionals prefer this masking tape for edging and protecting hard-to-reach surfaces. Thanks to its flexibility, it is easily handled to create any design facilitating any painting job.

High temperature performance.

TAPE

C-584

AUTOMOTIVE

- Clean removal.
- Clean removal.
- Solvent resistance.
- Conformability to stretch and adhere around curves.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION     |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-584 |                     | 1/2"          | 60          | 96         | Heat shrink wrap |
| C-584 |                     | 3/4"          | 60          | 64         | Heat shrink wrap |
| C-584 | 5.98                | ר"            | 60          | 48         | Heat shrink wrap |
| C-584 | 5.90                | 1" 1/2        | 60          | 32         | Heat shrink wrap |
| C-584 |                     | 2"            | 60          | 24         | Heat shrink wrap |
| C-584 |                     | 3"            | 60          | 16         | Heat shrink wrap |

# 

# **RED** STUCCO TAPE



The red stucco tape **C-792** is an essential tool for construction projects such as installing cement, masonry, and insulation. When working on these tasks, having a high-quality stucco tape makes a big difference in effectiveness and efficiency. Our red stucco tape is ideal for contruction workers to complete their projects.

- Superior strength
- High durability making it suitable for demanding applications.
- Resistent to UV and moisture.



# **BLUE** PROTECTION FILM FOR WINDOWS

WINDOW GUARD C-320

The blue protection film for windows Cellux **C-320** is a blue polyethylene film. Our product adheres to glass or molding from edge to edge allowing the film to stay in place. Although it has the necessary adhesion to get the job done, it can be removed up to 60 days with clean removal without damaging the window or leaving residue. It is suitable for both indoor and outdoor environments.

- Durable performance during construction projects.
- Self-adhesive polyethylene film.
- Blue color.
- 60-days clean removal.
- UV resistant for outdoor use.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-320 |                     | 12"           | 200         | 4          | Individual roll |
| C-320 |                     | 24"           | 200         | 1          | Individual roll |
| C-320 |                     | 36"           | 200         | 1          | Individual roll |
| C-320 | 1.5                 | 48"           | 200         | 1          | Individual roll |
| C-320 |                     | 12"           | 400         | 1          | Individual roll |
| C-320 |                     | 24"           | 400         | 1          | Individual roll |
| C-320 |                     | 36"           | 400         | 1          | Individual roll |
| C-320 |                     | 48"           | 400         | 1          | Individual roll |



ux Cellux ellux Cellux Cellux cellux Cellux Cellux cellux Cellux Cellux cellux Cellux

# PACKAGING SOLUTIONS

"INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY."





GENERAL PURPOSE C-700



# **GENERAL** PURPOSE PACKAGING TAPE

The general purpose **C-700** packing tape supports up to 44 Ib in weight and is the ideal ally for packing jobs at home, office, school, or any industry. Thanks to its BOPP support, it is tear resistance and its adhesive guarantees a long useful life during storage. This tape can be used as an advertising element by printing on it with up to 3 inks.

 Medium-High edge tear and split resistance.

Easy unwind and smooth dispensing.

Delivers conformability under stress.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-700 |                     | 2"            | 55          | 48         | Individual roll |
| C-700 | 1.57                | 2"            | 110         | 30         | Individual roll |
| C-700 | 1.57                | 3"            | 55          | 24         | Individual roll |
| C-700 |                     | 3"            | 110         | 20         | Individual roll |

# **MEDIUM** GRADE PACKAGING TAPE

**GENERAL PURPOSE** C-715



The medium-grade **C-715** packaging tape is the ideal for the packaging industry where greater resistance is required, it holds up to 66 lb in weight. Thanks to its BOPP support, it is tear resistance and its adhesive guarantees a long useful life during storage. This tape can be used as an advertising element by printing on it with up to 3 inks.

v High edge tear and split resistance.
v Easy unwind and smooth dispensing.
v Delivers conformability under stress.
v Manual or automatic carton sealing.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-715 |                     | 2"            | 55          | 48         | Individual roll |
| C-715 |                     | 2"            | 110         | 30         | Individual roll |
| C-715 | 1.77                | 3"            | 55          | 24         | Individual roll |
| C-715 |                     | 3"            | 110         | 20         | Individual roll |
| C-715 |                     | 2"            | 1100        | 6          | Individual roll |

ellux Cellux Cellux x Cellux Cellux Cellux allux Cellux Cellux







# **HEAVY** GRADE PACKAGING TAPE

The heavy-grade packaging tape **C-720** is the ideal ally for the packaging industry where greater resistance is required, carrying up to 66 lb of weight. Thanks to its BOPP support, it provides tear resistance and its adhesive guarantees a long useful life during storage.

- High edge tear and split resistance.
- Tamper proof sealing.
- Packaging lines prone to over or under - stuffing cartons.
- Manual or automatic carton sealing.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-720 |                     | 2"            | 55          | 48         | Individual roll |
| C-720 | 1.96                | 2"            | 110         | 30         | Individual roll |
| C-720 | 1.50                | 3"            | 55          | 24         | Individual roll |
| C-720 |                     | 3"            | 110         | 20         | Individual roll |
| C-721 |                     | 2"            | 1100        | 6          | Individual roll |





# **HEAVY** DUTY PACKAGING TAPE

The heavy duty **C-725** packaging tape is ideal for packages that require superior performance. Its properties make this tape highly resistant to weights between 66 and 99 lb. Its adhesive is highly aggressive, providing the necessary security and support for the most demanding packaging jobs.

- High edge tear and split resistance.
- Tamper proof sealing.
- Packaging lines prone to over -
- or under stuffing cartons.
- Manual or automatic carton sealing.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-725 |                     | 2"            | 55          | 48         | Individual roll |
| C-725 | 2.36                | 2"            | 110         | 30         | Individual roll |
| C-725 | 2.50                | 3"            | 55          | 24         | Individual roll |
| C-725 |                     | 3"            | 110         | 20         | Individual roll |
| C-725 |                     | 2"            | 1100        | 6          | Individual roll |



# PACKAGING SOLUTIONS



"INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY."

cellux. cen

Ilux Cellux Cen

r. cellux. cellux.

Ilux. Cellux. Cellux.

cellux. cellux. cell

K. Cellux. Cellux.

slinx. cellinx. celli

ellux. cellux.









Gummed tape **C-751** is made from tear resistant kraft paper with a water-activated vegetable glue coating. It is ideal for the environmentally counscious individual. Its dust-tight and temper-proof formula is ideal to seal any cardboard packaging. Available in brown and white.

- Water activated adhesive.
- Can be printed.
- Creates a bond with the box on sticking.
- 00% recyclable & environment friendly.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-751 | 4.92                | 2"            | 50          | 24         | Individual roll |

REINFORCED

**GUMMED** 

C-752

- **REINFORCED** GUMMED TAPE
- The reinforced gummed tape **C-752** is the perfect tape for cardboard packaging in every weight category. Its overlaid polymer fibreglass inlay fulfills the most demanding requirements surrounding tear resistance, theft, and trasportation security. Our tape is ideally suited for packages with valuable and sensitive contents, as well as for international air transport.
- Can be printed.
- Water activated adhesive.
- Creates a bond with the box on sticking.
- 100% recyclable & environment friendly.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-752 | 6.49                | 2"            | 50          | 24         | Individual roll |





# ELECTRICAL SOLUTIONS

"INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY."





ELECTRICAL TAPE



# **INDUSTRIAL** ELECTRICAL TAPE

The **C-818** industrial electrical tape is a PVC-based tape ideal for projects in the electricity industry. Certified under the RETIE standard, Cellux electrical tape has excellent elongation and memory recovery properties. The C-818 is fireproof and and insulates up to 600V.

- Stretch and flexibility.
- Resistant to abrasion, moisture, alkalies, acids, corrosion, and varying weather conditions.
- Cold and sunlight resistant.

C-818

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION     |   |
|-------|---------------------|---------------|-------------|------------|------------------|---|
| C-818 | 7                   | 3,4"          | 16          | 180        | Heat shrink wrap | J |



Cellux®, we understand that each project is different. We can manufacture the size and presentation according to your requirement.



# FOA TAPES

"INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY."



🔁 cellux.us

IIIIX & Cellux & Cellux

Ce.

# 



# **DOUBLE SIDED** NEOPRENE TAPE

The C-476 black neoprene foam tape is a special high-strength, double-sided tape designed for providing support on a variety of surfaces and environments. It is safe due to its long duration. It is ideal for the automotive industry.

- High performance in environmental conditions.
- It can be stamped.
- Guarantees a safe mounting.
- High resistance.
- Can be applied on multiple surfaces.
- Long duration.
- Resistant to moisture and substances chemicals.
- UV Resistant.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|---------------------|---------------|-------------|------------|-----------------|
| C-476 |                     | <b>3/</b> 4"  | 20          | 16         | Individual roll |
| C-476 | 39                  | ٦"            | 20          | 12         | Individual roll |
| C-476 |                     | 1"1/2         | 20          | 8          | Individual roll |



At Cellux®, we understand that each project is different. We can manufacture the size and presentation according to your requirement.





# POLYTHYLENE TAPE

# **DOUBLE** SIDED POLYETHYLENE TAPE



The double-face white foam tape C-483 is specially designed to junc- tion and assemble lightweight objects in the domestic and commercial sectors. Eliminates the use of tiptoe and screws to mount objects such as carriers, light mirrors, posters, etc.



### C-484

The double-face white foam tape **C-484** is a film specially designed for the junction and assembly of lightweight objects in the domestic and commercial sectors. Eliminates the use of tiptoe and screws to mount objects such as carriers, light mirrors, posters, etc.

### C-486

The double-face white foam tape **C-486**, is a film specially designed for the junction and assembly of medium-weight objects, mainly in the hardware sector. Due to its proper thickness and strong adhesive, it is used in windows, electrical assemblies, construction finishes, etc.

- Superior and Instant adhesion to a variety of surfaces, including low-surface energy materials.
- Replaces hardware and other mechanical fastening options.
- Excellent conformability.
- Good moisture and temperature resistance.
- Guarantees a safe mounting.
- Constant of the second seco

| sкu   | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|------------------|------------|-------------|------------|-----------------|
| C-483 |                  | 1/2"       | 10          | 48         | Individual roll |
| C-483 |                  | 1/2"       | 30          | 24         | Individual roll |
| C-483 |                  | 3/4"       | 10          | 32         | Individual roll |
| C-483 | 39               | 3/4"       | 30          | 16         | Individual roll |
| C-483 |                  | 1"         | 10          | 24         | Individual roll |
| C-483 |                  | ٦"         | 30          | 12         | Individual roll |
| C-483 |                  | 1"1/2      | 10          | 16         | Individual roll |
| C-483 |                  | 1"1/2      | 30          | 8          | Individual roll |

| SKU   | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|------------------|------------|-------------|------------|-----------------|
| C-484 |                  | 1/2"       | 10          | 48         | Individual roll |
| C-484 |                  | 1/2"       | 30          | 24         | Individual roll |
| C-484 |                  | 3/4"       | 10          | 32         | Individual roll |
| C-484 | 63               | 3/4"       | 30          | 16         | Individual roll |
| C-484 |                  | 1"         | 10          | 24         | Individual roll |
| C-484 |                  | ]"         | 30          | 12         | Individual roll |
| C-484 |                  | 1"1/2      | 10          | 16         | Individual roll |
| C-484 |                  | 1"1/2      | 30          | 8          | Individual roll |

| SKU   | THICKNESS (MILS) | WIDTH (IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION    |
|-------|------------------|------------|-------------|------------|-----------------|
| C-486 |                  | 1/2"       | 10          | TBD        | Individual roll |
| C-486 |                  | 1/2"       | 30          | TBD        | Individual roll |
| C-486 |                  | 3/4"       | 10          | TBD        | Individual roll |
| C-486 | 126              | 3/4"       | 30          | TBD        | Individual roll |
| C-486 |                  | ٦"         | 10          | TBD        | Individual roll |
| C-486 |                  | ]"         | 30          | TBD        | Individual roll |
| C-486 |                  | 1"1/2      | 10          | TBD        | Individual roll |
| C-486 |                  | 1"1/2      | 30          | TBD        | Individual roll |



# in a celux c

# REFRIGERATION SOLUTIONS

"INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY."







# **DUCT** TAPE

Duct Tape Cellux **C-386** is an adhesive tape that combines polyester cloth and polyethylene film with a strong rubber adhesive, making it the most versatile tape in our brochure. Ideally designed for HVAC applications, it is used primarily for non-critical repairs. It can be used on irregular surfaces in the Construction, Automotive and home sectors. Best of all, thanks to its tackiness, it's the only masking tape that can stick to wet surfaces.

- Output Aggressive adhesive.
- Excellent cold temperature performance.
- Exceptional holding power for indoor and outdoor use.
- Sticks immediately.
- Hand-tearable por use easily.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION     |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-386 | 6.7                 | 2"            | 10          | 48         | Heat shrink wrap |
| C-386 | 0.7                 | 2"            | 40          | 24         | Heat shrink wrap |



At Cellux®, we understand that each project is different. We can manufacture the size and presentation according to your requirement.



# **FSK** REINFORCED ALUMINUM FOIL TAPE

The reinforced aluminum foil tape Foil/Scrim/Kraft (FSK) **C-387** is a tape designed for superior performance thermal applications. Its fiberglass reinforcement makes it more resistant in the installation, support and insulation of cooling pipelines. Its adhesive provides longer duration in time prolonging wear.





 Exceptional resilience even in extreme temperature variations.
 Its backing is designed to remain smooth and free of wrinkles, preventing tearing or damage.

 The material is impermeable to water vapor and smoke, providing reliable protection and insulation.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION     |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-387 | 6.7                 | 2"            | 40          | 24         | Heat shrink wrap |
| C-387 | 0.7                 | 3"            | 40          | 16         | Heat shrink wrap |

## ALUMINUM FOIL TAPE

TAPE The Aluminum Foil Tape Cellux C-384 is a high-quality adhesive tape designed for HVAC applications and general purpose use. Made from sturdy aluminum foil material, this tape is perfect for sealing ducts, vents, and pipes, as well as for insulation and other general sealing purposes. Its heat-resistant properties make it ideal for use in hot and cold environments, and its strong adhesive ensures a secure and long-lasting hold. Aluminum Foil Tape is the perfect solution for HVAC professionals, contractors, and people like you who need a reliable and durable tape for all their sealing and insulation needs.

**FOIL CONTRACT OF CONTRACT OF** 

Dead soft aluminum foil
 Highly conformable

- Aggressive acrylic PS adhesive
- Good Moisture Resistance
- Waterproof Backing
- Resists extreme fluctuations in
- tempe- rature after application
- Reflects and dissipates heat.

| SKU   | THICKNESS<br>(MILS) | WIDTH<br>(IN) | LENGTH (YD) | ROLLS/CASE | PRESENTATION     |
|-------|---------------------|---------------|-------------|------------|------------------|
| C-384 | 3.1                 | 2"            | 40          | 24         | Heat shrink wrap |
| C-384 | 5.1                 | 3"            | 40          | 16         | Heat shrink wrap |





-11

ellux®

x<sub>®</sub> Ce Cellu

UX® C

ell

### "INNOVATIVE ADHESIVE TAPE SOLUTIONS FOR EVERY INDUSTRY"



